


## KEY NOTES (ADA):

- ① WALKWAY SLOPE SHALL NOT EXCEED 5.0% LONGITUDINAL OR 2.0% CROSS SLOPE
- ② PARKING AND LOADING ZONES TO BE 2% MAX CROSS SLOPE IN ANY DIRECTION
- ③ PROTECT IN PLACE

NOTE: SEE DETAIL 1—SHEET A2 OF ROBSON DESIGN PLANS FOR VAN ACCESSIBLE PARKING REQUIREMENTS.

### HATCHING LEGEND:

6" PCC OVER  
4" CL II AB W/  
WELDED WIRE MESH



SEE SHEET A1  
OF ORIGINAL  
PLANS FOR  
CONTINUATION

Ex School Building

Ex Fence (typ)

①

4.0'

4.0'

PROPOSED PATH  
WITH ADA STRIPING  
SEE SHEET 1 OF  
ORIGINAL PLANS  
FOR DETAILS

Approximate  
Boundary of  
Ex Blacktop

Ex Ramp

Ex Sign ③

③ Ex  
Power  
Pole

Ex  
Blacktop  
Driveway

ADA  
PARKING  
SIGN

1.0' GRAVEL  
SHOULDER(TYP)

Ex Fence (typ)

Ex Portable

8.0'

②

VAN  
ACCESSIBLE  
PARKING



Ex Sidewalk

17.6'

PROPOSED  
ADA PARKING  
AREA

Ex Gravel  
Driveway  
(Approx  
Boundary)

9.0'

22.0'

January 31, 2022

# ADA PARKING AND RAMP EXHIBIT

Pleasant Hill Christian School  
1782 Pleasant Hill Rd  
Sebastopol, CA 95472

**adobe associates, inc.**  
civil engineering | land surveying | wastewater

1220 N. Dutton Ave., Santa Rosa, CA 95401  
P. (707) 541-2300 F. (707) 541-2301  
Website: www.adobeinc.com

"A Service You Can Count On!"